

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	1	(opcode or op-code or (op adj code) or (operation adj code)) with ((access adj plan) or (access adj path adj plan))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 07:38
2	BRS	L2	3	(opcode or op-code or (op adj code) or (operation adj code)) same ((access adj plan) or (access adj path adj plan))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 07:29
3	BRS	L3	6	(opcode or op-code or (op adj code) or (operation adj code)) and ((access adj plan) or (access adj path adj plan))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 07:43
4	BRS	L4	3	3 and pointer	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 07:30
5	BRS	L5	678	(opcode or op-code or (op adj code) or (operation adj code)) with pointer	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 07:31

	Type	L #	Hits	Search Text	DBs	Time Stamp
6	BRS	L6	1	3 and interpreter and call	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 07:33
7	BRS	L7	74	5 and interpreter and call and (lookup or look-up or (look\$3 adj up))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 08:15
8	BRS	L8	0	5 and interpreter same call same (lookup or look-up or (look\$3 adj up))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 07:37
9	BRS	L9	0	1 and interpreter same call same (lookup or look-up or (look\$3 adj up))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 07:38
10	BRS	L10	0	1 and interpreter and (call same (lookup or look-up or (look\$3 adj up)))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 07:38

	Type	L #	Hits	Search Text	DBs	Time Stamp
11	BRS	L11	39	interpreter same call same (lookup or look-up or (look\$3 adj up))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/10/09 07:42
12	BRS	L12	0	11 and (opcode or op-code or (op adj code) or (operation adj code)) and ((access adj plan) or (access adj path adj plan))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/10/09 07:39
13	BRS	L13	12	11 and (opcode or op-code or (op adj code) or (operation adj code))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/10/09 07:40
14	BRS	L14	10	11 and (opcode or op-code or (op adj code) or (operation adj code)) and operand	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/10/09 07:40
15	BRS	L15	10	11 and (opcode or op-code or (op adj code) or (operation adj code)) same operand	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/10/09 07:40

	Type	L #	Hits	Search Text	DBs	Time Stamp
16	BRS	L16	0	15 and 707/\$.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 07:42
17	BRS	L17	3874	(opcode or op-code or (op adj code) or (operation adj code)) same operand	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 07:45
18	BRS	L18	58	17 and 707/\$.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 07:41
19	BRS	L19	6	18 and SQL and query	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 07:41
20	BRS	L20	0	11 and 707/\$.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 07:43

	Type	L #	Hits	Search Text	DBs	Time Stamp
21	BRS	L21	419	interpreter and (call same (lookup or look-up or (look\$3 adj up)))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 07:42
22	BRS	L22	57	21 and 707/\$.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 07:47
23	BRS	L23	0	22 and ((access adj plan) or (access adj path adj plan))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 07:43
24	BRS	L24	0	17 and ((access adj plan) or (access adj path adj plan))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 07:52
25	BRS	L25	5593	(codgen or (code adj generation))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 07:44

	Type	L #	Hits	Search Text	DBs	Time Stamp
26	BRS	L26	168	25 and (opcode or op-code or (op adj code) or (operation adj code)) same operand	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 07:48
27	BRS	L27	41	26 and call with function	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 07:47
28	BRS	L28	0	27 and 707/\$.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 07:47
29	BRS	L29	1	26 and 707/\$.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 07:47
30	BRS	L30	225	25 and 707/\$.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 07:54

	Type	L #	Hits	Search Text	DBs	Time Stamp
31	BRS	L31	14	30 and (opcode or op-code or (op adj code) or (operation adj code))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 07:53
32	BRS	L32	10	30 and ((access adj plan) or (access adj path adj plan))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 08:00
33	BRS	L33	0	32 and (opcode or op-code or (op adj code) or (operation adj code))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 07:54
34	BRS	L34	101	25 same (opcode or op-code or (op adj code) or (operation adj code))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 07:57
35	BRS	L35	4	34 and 707/\$.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 08:16

	Type	L #	Hits	Search Text	DBs	Time Stamp
36	BRS	L36	22	SQL adj optimiz\$6	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 07:57
37	BRS	L37	0	36 and (opcode or op-code or (op adj code) or (operation adj code))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 08:04
38	BRS	L38	15013	(opcode or op-code or (op adj code) or (operation adj code))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 07:58
39	BRS	L39	678	(opcode or op-code or (op adj code) or (operation adj code)) with pointer	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 07:58
40	BRS	L40	22	39 and SQL and query	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 07:58

	Type	L #	Hits	Search Text	DBs	Time Stamp
41	BRS	L41	11	40 and call near9 function	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 08:05
42	BRS	L42	269	((access adj plan) or (access adj path adj plan))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 08:03
43	BRS	L43	2	((access adj plan) or (access adj path adj plan)) with pointer	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 08:00
44	BRS	L44	37	42 and call near9 function	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 08:01
45	BRS	L45	107	((access adj plan) or (access adj path adj plan) or (optimiz\$6 near4 plan)) with (SQL or (structur\$3 adj query adj language))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 08:13

	Type	L #	Hits	Search Text	DBs	Time Stamp
46	BRS	L46	2	45 and (opcode or op-code or (op adj code) or (operation adj code))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 08:04
47	BRS	L47	5096	"107" and call near9 function	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 08:07
48	BRS	L48	21	45 and call near9 function	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 08:12
49	BRS	L49	6	48 and interpreter	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 08:07
50	BRS	L50	6	45 and ((access adj plan) or (access adj path adj plan) or (optimiz\$6 near4 plan)) adj4 code	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 08:23

	Type	L #	Hits	Search Text	DBs	Time Stamp
51	BRS	L51	3	45 and interpreter and call and (lookup or look-up or (look\$3 adj up))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 08:15
52	BRS	L52	9	45 and (translat\$6 or interpreter) and call and (lookup or look-up or (look\$3 adj up))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 08:16
53	BRS	L53	173	39 and (translat\$6 or interpreter) and call and (lookup or look-up or (look\$3 adj up))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 08:18
54	BRS	L54	14	53 and 707/\$.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 08:19
55	BRS	L55	130	39 and (translat\$6 or interpreter) and call with (function or (lookup or look-up or (look\$3 adj up)))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 08:19

	Type	L #	Hits	Search Text	DBs	Time Stamp
56	BRS	L56	130	39 and (translat\$6 or interpreter) and (call with (function or lookup or look-up or (look\$3 adj up)))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 08:19
57	BRS	L57	8	39 and (translat\$6 or interpreter) same (call with (function or lookup or look-up or (look\$3 adj up)))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 08:20
58	BRS	L58	0	57 and 707/\$.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 08:22
59	BRS	L59	3	45 and (translat\$6 or interpreter) same (call with (function or lookup or look-up or (look\$3 adj up)))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 08:25
60	BRS	L60	10	45 and (translat\$6 or interpreter) and (call with (function or lookup or look-up or (look\$3 adj up)))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 08:33

	Type	L #	Hits	Search Text	DBs	Time Stamp
61	BRS	L61	8	60 and 707/\$.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 08:29
62	BRS	L62	1836	((access adj plan) or (access adj path adj plan) or (optimiz\$6 near4 plan) or (query near optimiz\$6))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 08:24
63	BRS	L63	375	62 and ((access adj plan) or (access adj path adj plan) or (optimiz\$6 near4 plan) or (query near optimiz\$6)) same (SQL or (structur\$3 adj query adj language))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 08:25
64	BRS	L64	6	63 and (translat\$6 or interpreter) same (call with (function or lookup or look-up or (look\$3 adj up)))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 08:26
65	BRS	L65	5	64 and (pointer or refernc\$4)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 08:28

	Type	L #	Hits	Search Text	DBs	Time Stamp
66	BRS	L66	95	62 and (runtime or run-time or (run adj time) or execut\$5) near2 (translat\$5 or interpreter or interpret\$3)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 08:29
67	BRS	L67	71	66 and 707/\$.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 08:29
68	BRS	L68	14	67 and (translat\$6 or interpreter) and (call with (function or lookup or look-up or (look\$3 adj up)))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 08:35
69	BRS	L69	1	67 and (translat\$6 or interpreter) and (call with (lookup or look-up or (look\$3 adj up)))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 08:36
70	BRS	L70	1	67 and (translat\$6 or interpreter or colpil\$6) and (call with (lookup or look-up or (look\$3 adj up)))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/09 08:36

	Type	L #	Hits	Search Text	DBs	Time Stamp
71	BRS	L71	1	67 and (translat\$6 or interpreter or compil\$6) and (call with (lookup or look-up or (look\$3 adj up)))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/10/09 08:36
72	BRS	L72	10	62 and (translat\$6 or interpreter or compil\$6) and (call with (lookup or look-up or (look\$3 adj up)))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/10/09 08:36